

Klüberquiet® BQ 72-72

Version 1.0

Revision Date 25.04.2014

Print Date 25.04.2014

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name : Klüberquiet® BQ 72-72

Article-No. : 094008

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Grease

1.3 Details of the supplier of the safety data sheet

KLÜBER LUBRICATION MÜNCHEN
Geisenhausenerstrasse 7
D-81379 München
Deutschland
Tel: +49 (0) 897876-0
Fax: +49 (0) 897876-333

E-mail address : mcm@klueber.com
Responsible/issuing person : Material Compliance Management

National contact : Klüber Lubrication Great Britain Ltd.
Hough Mills, Northowram
Halifax, HX3 7BN
Great Britain
Tel: +44-1422-205115
Fax: +44-1422-206073
sales@uk.klueber.com

1.4 Emergency telephone number

0049 (0) 897876-700 (24hrs)

2. Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

Classification (67/548/EEC, 1999/45/EC)

Not a hazardous substance or mixture.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

Klüberquiet® BQ 72-72

Version 1.0

Revision Date 25.04.2014

Print Date 25.04.2014

Additional Labelling:

EUH210 Safety data sheet available on request.

2.3 Other hazards

3. Composition/information on ingredients

3.2 Mixtures

Chemical nature : ester oil
polyurea

Hazardous components

Chemical Name	CAS-No. EC-No. Index-No. Registration number	Classification (67/548/EEC)	Classification (REGULATION (EC) No 1272/2008)	Concentration [%]
Polyurea	1266545-66-7 / / / /	R53	Aquatic Chronic 4; H413	>= 10 - < 20
Amines, C11-14- branched alkyl, monohexyl and dihexyl phosphates	80939-62-4 279-632-6	Xi; R36/38 N; R51/53	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Aquatic Chronic 2; H411	>= 1 - < 2.5

For the full text of the R-phrases mentioned in this Section, see Section 16.

For the full text of the H-Statements mentioned in this Section, see Section 16.

4. First aid measures

4.1 Description of first aid measures

- If inhaled : Remove person to fresh air. If signs/symptoms continue, get medical attention.
Keep patient warm and at rest.
If unconscious place in recovery position and seek medical advice.
Keep respiratory tract clear.
If breathing is irregular or stopped, administer artificial respiration.
- In case of skin contact : Take off all contaminated clothing immediately.
Wash off immediately with soap and plenty of water.
Get medical attention immediately if irritation develops and persists.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.
- In case of eye contact : If eye irritation persists, consult a specialist.
Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes.
- If swallowed : If unconscious place in recovery position and seek medical advice.

Klüberquiet® BQ 72-72

Version 1.0

Revision Date 25.04.2014

Print Date 25.04.2014

Keep respiratory tract clear.
Never give anything by mouth to an unconscious person.
Get medical attention if symptoms occur.

: Move the victim to fresh air.

: Rinse mouth with water.

4.2 Most important symptoms and effects, both acute and delayed

4.3 Indication of any immediate medical attention and special treatment needed

5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media : none

5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting : Fire may cause evolution of:
Carbon oxides
Nitrogen oxides (NOx)
Oxides of phosphorus

5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.
In the case of respirable dust and/or fumes, use self-contained breathing apparatus.
Exposure to decomposition products may be a hazard to health.

Further information : Standard procedure for chemical fires.

6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Evacuate personnel to safe areas.
Use personal protective equipment.
Ensure adequate ventilation.
Do not breathe vapours or spray mist.
Refer to protective measures listed in sections 7 and 8.

6.2 Environmental precautions

Environmental precautions : Try to prevent the material from entering drains or water courses.
Prevent further leakage or spillage if safe to do so.
Local authorities should be advised if significant spillages cannot be contained.

Klüberquiet® BQ 72-72

Version 1.0

Revision Date 25.04.2014

Print Date 25.04.2014

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

6.4 Reference to other sections

7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Do not breathe vapours or spray mist.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Wash hands and face before breaks and immediately after handling the product.
Do not get in eyes or mouth or on skin.
Do not get on skin or clothing.
Do not ingest.
Do not repack.
Do not re-use empty containers.
These safety instructions also apply to empty packaging which may still contain product residues.
Keep container closed when not in use.
Avoid inhalation of vapour or mist.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Store in original container.
Keep container closed when not in use.
Keep in a dry, cool and well-ventilated place.
To maintain product quality, do not store in heat or direct sunlight.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Store in accordance with the particular national regulations.
Keep in properly labelled containers.

7.3 Specific end use(s)

8. Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Klüberquiet® BQ 72-72

Version 1.0

Revision Date 25.04.2014

Print Date 25.04.2014

Engineering measures

Maintain air concentrations below occupational exposure standards.

It is recommended that all dust control equipment such as local exhaust ventilation and material transport systems involved in handling of this product contain explosion relief vents or an explosion suppression system or an oxygen deficient environment.

Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).

none

Personal protective equipment

- Respiratory protection : In the case of vapour formation use a respirator with an approved filter.
- Hand protection : For prolonged or repeated contact use protective gloves. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case.
- Eye protection : Safety glasses with side-shields conforming to EN166
- Hygiene measures : Wash face, hands and any exposed skin thoroughly after handling.
- Protective measures : The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace. Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.

Environmental exposure controls

- General advice : Try to prevent the material from entering drains or water courses. Prevent further leakage or spillage if safe to do so. Local authorities should be advised if significant spillages cannot be contained.

9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

- Form : paste
- Colour : beige
- Odour : characteristic

Klüberquiet® BQ 72-72

Version 1.0

Revision Date 25.04.2014

Print Date 25.04.2014

Odour Threshold	: No data available
pH	: No data available
Melting point/range	: No data available
Boiling point/boiling range	: No data available
Flash point	: not applicable
Evaporation rate	: No data available
Flammability (solid, gas)	: No data available
Lower explosion limit	: No data available
Upper explosion limit	: No data available
Vapour pressure	: < 0.001 hPa, 20 °C
Relative vapour density	: No data available
Density	: 0.96 g/cm ³ , 20 °C
Water solubility	: insoluble
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Auto-ignition temperature	: No data available
Ignition temperature	: No data available
Viscosity, dynamic	: No data available
Viscosity, kinematic	: No data available
Oxidizing properties	: No data available

9.2 Other information

Sublimation point	: No data available
Bulk density	: No data available

10. Stability and reactivity

10.1 Reactivity

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Conditions to avoid : No conditions to be specially mentioned.

10.5 Incompatible materials

Materials to avoid : No materials to be especially mentioned.

10.6 Hazardous decomposition products

Klüberquiet® BQ 72-72

Version 1.0

Revision Date 25.04.2014

Print Date 25.04.2014

11. Toxicological information

11.1 Information on toxicological effects

Product

Acute inhalation toxicity	: This information is not available.
Skin corrosion/irritation	: This information is not available.
Serious eye damage/eye irritation	: This information is not available.
Respiratory or skin sensitisation	: This information is not available.
Germ cell mutagenicity	
Genotoxicity in vitro	: No data available
Genotoxicity in vivo	: No data available
Carcinogenicity	: No data available
Reproductive toxicity	: No data available
Teratogenicity	: No data available
Repeated dose toxicity	: This information is not available.
Aspiration toxicity	: This information is not available.
Further information	: Information given is based on data on the components and the toxicology of similar products.

Components:

Amines, C11-14-branched alkyl, monohexyl and dihexyl phosphates :

Acute oral toxicity	: LD50: > 2,000 mg/kg, rat, OECD Test Guideline 401
Acute dermal toxicity	: Redness, Local irritation
Skin corrosion/irritation	: rabbit, Result: Irritating to skin., Classification: Irritating to skin., OECD Test Guideline 404 : Irritating to skin.
Serious eye damage/eye irritation	: rabbit, Result: Irritating to eyes., Classification: Irritating to eyes., OECD Test Guideline 405 : Irritating to eyes.
Respiratory or skin sensitisation	: Result: Did not cause sensitisation on laboratory animals., Classification: Did not cause sensitisation on laboratory animals.
Further information	: Ingestion causes irritation of upper respiratory system and gastrointestinal disturbance.

12. Ecological information

12.1 Toxicity

Klüberquiet® BQ 72-72

Version 1.0

Revision Date 25.04.2014

Print Date 25.04.2014

Product:

Toxicity to fish : No data available
Toxicity to daphnia and other aquatic invertebrates : No data available
Toxicity to algae : No data available
Toxicity to bacteria : No data available

Components:

Polyurea :

Toxicity to fish : LC50: > 100 mg/l, 96 h
Toxicity to daphnia and other aquatic invertebrates : EC50: > 100 mg/l, 48 h

Amines, C11-14-branched alkyl, monohexyl and dihexyl phosphates :

Toxicity to fish : LC50: 5.5 mg/l, 96 h, Oncorhynchus mykiss (rainbow trout), OECD Test Guideline 203, Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
Toxicity to daphnia and other aquatic invertebrates : 1.2 mg/l, 48 h, Daphnia magna (Water flea), OECD Test Guideline 202

Ecotoxicology Assessment

Acute aquatic toxicity : Toxic to aquatic life.
Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

12.2 Persistence and degradability

Product:

Biodegradability : No data available
Physico-chemical removability : No data available

Components:

Amines, C11-14-branched alkyl, monohexyl and dihexyl phosphates :

Biodegradability : Result: not rapidly biodegradable

12.3 Bioaccumulative potential

Product:

Bioaccumulation : This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT)., This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

Klüberquiet® BQ 72-72

Version 1.0

Revision Date 25.04.2014

Print Date 25.04.2014

12.4 Mobility in soil

Product:

Mobility : No data available
Distribution among environmental compartments : No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Components:

Amines, C11-14-branched alkyl, monoethyl and diethyl phosphates :

Assessment : This substance is not considered to be persistent, bioaccumulating nor toxic (PBT)., This substance is not considered to be very persistent nor very bioaccumulating (vPvB).

12.6 Other adverse effects

Components:

Amines, C11-14-branched alkyl, monoethyl and diethyl phosphates :

Additional ecological information : Toxic to aquatic life with long lasting effects.

13. Disposal considerations

13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water courses or the soil.
: Waste codes should be assigned by the user based on the application for which the product was used.
Contaminated packaging : Empty containers can be landfilled, when in accordance with the local regulations.

14. Transport information

14.1 UN number

ADR

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

14.2 Proper shipping name

ADR

Not dangerous goods

IMDG

Klüberquiet® BQ 72-72

Version 1.0

Revision Date 25.04.2014

Print Date 25.04.2014

Not dangerous goods
IATA
Not dangerous goods

14.3 Transport hazard class

ADR
Not dangerous goods
IMDG
Not dangerous goods
IATA
Not dangerous goods

14.4 Packing group

ADR
Not dangerous goods
IMDG
Not dangerous goods
IATA
Not dangerous goods

14.5 Environmental hazards

ADR
Not dangerous goods
IMDG
Not dangerous goods
IATA
Not dangerous goods

14.6 Special precautions for user

No data available

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not available

15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59) : This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).

Major Accident Hazard Legislation : 96/82/EC Update: not applicable

15.2 Chemical Safety Assessment

This information is not available.

16. Other information

Full text of R-phrases referred to under sections 2 and 3

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - GB



Klüberquiet® BQ 72-72

Version 1.0

Revision Date 25.04.2014

Print Date 25.04.2014

R36/38	Irritating to eyes and skin.
R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R53	May cause long-term adverse effects in the aquatic environment.

Full text of H-Statements referred to under sections 2 and 3.

H315	Causes skin irritation.
H319	Causes serious eye irritation.
H411	Toxic to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.

This safety datasheet applies only to products originally packaged and labelled by KLÜBER LUBRICATION. The information contained therein is protected by copyright and must not be reproduced or amended without the express written approval of KLÜBER LUBRICATION. This document may be passed on only to the extent required by law. Any dissemination of our safety datasheets (e.g. as a document for download from the Internet) beyond this legally required extent is not permitted without express written consent. KLÜBER LUBRICATION provides its customers with amended safety datasheets as prescribed by law. The customer is responsible for passing on safety datasheets and any amendments contained therein to its own customers, employees and other users of the product. KLÜBER LUBRICATION provides no guarantee that safety datasheets received by users from third parties are up-to-date. All information and instructions in this safety datasheets were compiled to the best of our knowledge and are based on the information available to us. The data provided are intended to describe the product in relation to the required safety measures; they are neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and do not justify any contractual legal relationships.